Author Index to Volume 199

Ackermann, L., see N. Rösch 199 (1992) 275
Adams, W., see P. Haaland 199 (1992) 379
Adhikari, S., P. Dutta and S.P. Bhattacharyya, A time-dependent Fourier grid Hamiltonian method. Formulation and application to the multiphoton dissociation of a diatomic molecule in intense laser field 199 (1992) 574
Agranovich, V.M., R.D. Atanasov and G.F. Bassani, Excitons in organic multiple quantum well structures 199 (1992) 621
Akacem, Y., see E.M. Evleth 199 (1992) 513
Alonso, A., see E. Wajnberg 199 (1992) 111
Amezian, K. and M.C. Bacchus-Montabonel, Ab initio molecular calculation of the SHe^{2+} and SH^{2+} multicharged ions 199 (1992) 487
Amos, R.D., see D.J. Tozer 199 (1992) 229
Amos, R.D., see C.W. Murray 199 (1992) 551
Anderson, S.L., see J.F. Christian 199 (1992) 373
Andrews, J.S., see D.J. Tozer 199 (1992) 229
Andrews, L., see T.R. Burkholder 199 (1992) 455
Apel, R., see R. Feltgen 199 (1992) 431
Asahi, T., see A. Osuka 199 (1992) 302
Asensio, M.C., see R. Dippel 199 (1992) 625
Atanasov, R.D., see V.M. Agranovich 199 (1992) 621

Babaev, A.K. and V.S. Dubov, Absorption spectrum of the complex $Xe+F_2$ 199 (1992) 93
Bacchus-Montabonel, M.C., see K. Amezian 199 (1992) 487
Bakhshi, A.K., see C.-M. Liegener 199 (1992) 62
Bancroft, G.M., see D.G.J. Sutherland 199 (1992) 341
Banerjee, S.B., see R. De 199 (1992) 17
Bassani, G.F., see V.M. Agranovich 199 (1992) 621
Bator, G., see K. Orzechowski 199 (1992) 325
Bauschlicher Jr., C.W., H. Partridge and K.G. Dyall, The $^2\Sigma^+$–$^2\Pi$ separation in KO 199 (1992) 225
Beck, K.M., see C.L. Perkins 199 (1992) 445
Berkovic, S. and U. Kaldor, Hilbert space coupled-cluster method in an incomplete model space 199 (1992) 42
Bernard, J., see M. Orrit 199 (1992) 408
Bhattacharyya, S.P., see S. Adhikari 199 (1992) 574
Bhattacharyya, S.P., see P. Dutta 199 (1992) 169
Billing, G.D., see N.E. Henriksen 199 (1992) 176
Bist, H.D., see L.S. Grigoryan 199 (1992) 360
Blau, W., see F. Henari 199 (1992) 144
Borg, R.A.J., E.R. Waclawik and W.D. Lawrence, Collisional pumping: a technique for measuring fluorescence lifetimes of optically inaccessible states 199 (1992) 320

Author Index to Volume 199

Ackermann, L., see N. Rösch 199 (1992) 275
Adams, W., see P. Haaland 199 (1992) 379
Adhikari, S., P. Dutta and S.P. Bhattacharyya, A time-dependent Fourier grid Hamiltonian method. Formulation and application to the multiphoton dissociation of a diatomic molecule in intense laser field 199 (1992) 574
Agranovich, V.M., R.D. Atanasov and G.F. Bassani, Excitons in organic multiple quantum well structures 199 (1992) 621
Akacem, Y., see E.M. Evleth 199 (1992) 513
Alonso, A., see E. Wajnberg 199 (1992) 111
Amezian, K. and M.C. Bacchus-Montabonel, Ab initio molecular calculation of the SHe^{2+} and SH^{2+} multicharged ions 199 (1992) 487
Amos, R.D., see D.J. Tozer 199 (1992) 229
Amos, R.D., see C.W. Murray 199 (1992) 551
Anderson, S.L., see J.F. Christian 199 (1992) 373
Andrews, J.S., see D.J. Tozer 199 (1992) 229
Andrews, L., see T.R. Burkholder 199 (1992) 455
Apel, R., see R. Feltgen 199 (1992) 431
Asahi, T., see A. Osuka 199 (1992) 302
Asensio, M.C., see R. Dippel 199 (1992) 625
Atanasov, R.D., see V.M. Agranovich 199 (1992) 621

Babaev, A.K. and V.S. Dubov, Absorption spectrum of the complex $Xe+F_2$ 199 (1992) 93
Bacchus-Montabonel, M.C., see K. Amezian 199 (1992) 487
Bakhshi, A.K., see C.-M. Liegener 199 (1992) 62
Bancroft, G.M., see D.G.J. Sutherland 199 (1992) 341
Banerjee, S.B., see R. De 199 (1992) 17
Bassani, G.F., see V.M. Agranovich 199 (1992) 621
Bator, G., see K. Orzechowski 199 (1992) 325
Bauschlicher Jr., C.W., H. Partridge and K.G. Dyall, The $^2\Sigma^+$–$^2\Pi$ separation in KO 199 (1992) 225
Beck, K.M., see C.L. Perkins 199 (1992) 445
Berkovic, S. and U. Kaldor, Hilbert space coupled-cluster method in an incomplete model space 199 (1992) 42
Bernard, J., see M. Orrit 199 (1992) 408
Bhattacharyya, S.P., see S. Adhikari 199 (1992) 574
Bhattacharyya, S.P., see P. Dutta 199 (1992) 169
Billing, G.D., see N.E. Henriksen 199 (1992) 176
Bist, H.D., see L.S. Grigoryan 199 (1992) 360
Blau, W., see F. Henari 199 (1992) 144
Borg, R.A.J., E.R. Waclawik and W.D. Lawrence, Collisional pumping: a technique for measuring fluorescence lifetimes of optically inaccessible states 199 (1992) 320

Borsella, E., A. Nesterenko and R. Larciprete, Resonant production of doubly charged tin ions in the multiphoton ionization of tin alkyls 199 (1992) 605
Botschwina, P., see M. Horn 199 (1992) 475
Bouchiat, M.A., J. Guena, Ph. Jacquier and M. Lintz, Absolute measurements of the photoionization cross section of the $5D_{5/2}$ Cs excited state and of the photodissociation cross section of Cs_2 between 540 and 550 nm 199 (1992) 85
Bouteiller, Y., S. Sadi, Z. Latajka and H. Ratajczak, Ab initio study of proton transfer between methylnitroamine and trimethylamine 199 (1992) 55
Bozek, J.D., see D.G.J. Sutherland 199 (1992) 341
Bradshaw, A.M., see M. Schmidbauer 199 (1992) 119
Bradshaw, A.M., see R. Dippel 199 (1992) 625
Brusa, R.S., see A. Zecca 199 (1992) 423
Burkholder, T.R. and L. Andrews, Matrix infrared detection of OBSO 199 (1992) 455
Burrows, B.L. and M. Cohen, A novel algebraic solution to Schrödinger equations 199 (1992) 580

Callaghan, J., see F. Henari 199 (1992) 144
Cardin, D.J., see F. Henari 199 (1992) 144
Carleer, M., see F. Mélen 199 (1992) 124
Carlsen, L., see H. Egsgaard 199 (1992) 643
Christian, J.F., Z. Wan and S.L. Anderson, $O^+ + C_{60}$. $C_{60}O^+$ production and decomposition, charge transfer, and formation of $C_{59}O^+$. Dopeyball or $[CO@C_{58}]^+$ 199 (1992) 373
Clara, H., see L.S. Grigoryan 199 (1992) 360
Cohen, M., see B.L. Burrows 199 (1992) 580
Colonna, F., see E.M. Evleth 199 (1992) 513
Colt, J.R. and G.E. Scuseria, An ab initio study of the C_{78} fullerene isomers 199 (1992) 505
Corongiu, G., see S. Rybak 199 (1992) 567
Czuchaj, E., F. Rebentrost, H. Stoll and H. Preuss, Calculation of the potential energies and transition dipole moments of the KHg pair 199 (1992) 47

Dahlhoff, H., see R. Feltgen 199 (1992) 431
De, R., T. Ganguly and S.B. Banerjee, Quenching of 9,10-diphenylanthracene fluorescence by tryptophan in anionic, cationic and non-ionic micelles 199 (1992) 17
De B. Neto, B., see M.N. Ramos 199 (1992) 482
De Saxce, A. and L. Schriver, An infrared study of the UV photolysis of chlorine nitrate trapped in various matrices at 11 K 199 (1992) 596
Ding, Y. and K. Krogh-Jespersen, The glycine zwitterion does not exist in the gas phase: results from a detailed ab initio electronic structure study 199 (1992) 261
Dippel, R., K.-U. Weiss, K.-M. Schindler, P. Gardner, V. Fritzsche, A.M. Bradshaw, M.C. Asensio, X.M. Hu, D.P. Woodruff and A.R. González-Elipe, A photoelectron diffraction study of the structure of PF_3 adsorbed on Ni{111} 199 (1992) 625
Domański, K.B., O. Kitao and K. Nakanishi, The peculiar potential surface of the carbon dioxide dimer 199 (1992) 525
Douthwaite, R.E., see P. Harris 199 (1992) 631
Drexhage, K.H., see E. Thiel 199 (1992) 329
Dubov, V.S., see A.K. Babaev 199 (1992) 93
Dutta, P. and S.P. Bhattacharyya, The MC SCF problem and simulated annealing strategy of global minimization 199 (1992) 169

Dutta, P., see S. Adhikari 199 (1992) 574
Dutta, P.K., see L.S. Grigoryan 199 (1992) 360
Dyall, K.G., see C.W. Bauschlicher Jr. 199 (1992) 225
Dyer, M.J., see G.W. Faris 199 (1992) 309

Ebata, T., M. Hamakado, S. Moriyama, Y. Morioka and M. Ito, Raman depolarization ratios of jet-cooled benzene and its dimer by stimulated Raman–UV optical double-resonance spectroscopy 199 (1992) 33
Ebbesen, T.W., see A. Germain 199 (1992) 585
Egsgaard, H., L. Carlsen, T. Weiske, D. Sülzle and H. Schwarz, Cationic and neutral nitrosamide: viable molecules in the dilute gas phase 199 (1992) 643
Essex, J.W., see C.A. Reynolds 199 (1992) 257
Evleth, E.M., E. Kassab, F. Colonna, Y. Akacem and O. Ouamerli, Ab initio fitted charges for PO_3^- and related XO_3^n structures 199 (1992) 513
Ezra, G.S., see G. Ramachandran 199 (1992) 397

Faris, G.W., M.J. Dyer and T.G. Slanger, The radiative lifetime of NO($b^4\Sigma^-$) 199 (1992) 309
Fawcett, W.R., Time dependence of the relaxation parameters in non-Debye solvents 199 (1992) 153
Feldhaus, J., see M. Schmidbauer 199 (1992) 119
Feltgen, R., H. Ferkel, R.K.B. Helbing, R. Apel, H. Dahlhoff, C. Fischer, D. Pikorz and H. Vehmeyer, State-selected chemiionization cross sections of $He^*(2^{1,3}S)+Ar$ for collision energies from 0.003 to 5.5 eV 199 (1992) 431
Ferkel, H., see R. Feltgen 199 (1992) 431
Figari, G., see V. Magnasco 199 (1992) 161
Fischer, C., see R. Feltgen 199 (1992) 431
Floris, F., M. Persico, A. Tani and J. Tomasi, Ab initio effective pair potentials for simulations of the liquid state, based on the polarizable continuum model of the solvent 199 (1992) 518
Foggi, P., see C. Taiti 199 (1992) 417
Francisco, J.S., see Y. Zhao 199 (1992) 65
Francisco, J.S., see M.M. Maricq 199 (1992) 71
Franke, R. and W. Kutzelnigg, Perturbative relativistic calculations for one-electron systems in a Gaussian basis 199 (1992) 561
Fritzsche, V., see R. Dippel 199 (1992) 625
Furlan, M., see R. Thissen 199 (1992) 102
Fyfe, C.A., K.T. Mueller, H. Grondey and K.C. Wong-Moon, Dipolar dephasing between quadrupolar and spin-1/2 nuclei. REDOR and TEDOR NMR experiments of VPI-5 199 (1992) 198

Gallay, J., see N. Vekshin 199 (1992) 459
Ganguly, T., see R. De 199 (1992) 17
Garcia, F., see G.G. Lazarev 199 (1992) 29
García-Cuesta, I., L. Serrano-Andrés, A. Sánchez de Merás and I. Nebot-Gil, Theoretical spectroscopic parameters of the alkali monofluorides LiF, NaF and KF 199 (1992) 535
Gardner, P., see R. Dippel 199 (1992) 625
Germain, A. and T.W. Ebbesen, Picosecond photophysics of lutetium bis-phthalocyanines 199 (1992) 585
Gietl, G., see H. Yersin 199 (1992) 1
Gill, P.M.W., see J.A. Pople 199 (1992) 557
González-Elipe, A.R., see R. Dippel 199 (1992) 625

Goodman, L., see S.N. Thakur 199 (1992) 335
Graham, D.J. and J.-C. Luo, Emission spectroscopy of nitrogen in a supersonic discharge. $N_2(X^1\Sigma_g^+, v'')$ vibrational distributions revealed by Penning ionization/first negative group spectra 199 (1992) 426
Griebenow, K., see M.G. Müller 199 (1992) 465
Grigoryan, L.S., H.D. Bist, S. Sathaiah, H. Clara, S.V. Sharma, N. Sudhakar, Prem-Chand, A.K. Majumdar, S.B. Samanta, P.K. Dutta and A.V. Narlikar, Electron–molecular vibration interactions in undoped fullerene films. A micro-Raman study 199 (1992) 360
Grondey, H., see C.A. Fyfe 199 (1992) 198
Grösser, T., see T. Weiske 199 (1992) 640
Guena, J., see M.A. Bouchiat 199 (1992) 85
Guo, D., see S.N. Thakur 199 (1992) 335

Haaland, P., R. Pachter, M. Pachter and W. Adams, Anisotropic stress and molecular moduli of C_{60} 199 (1992) 379
Häberlen, O.D. and N. Rösch, A scalar-relativistic extension of the linear combination of Gaussian-type orbitals local density functional method: application to AuH, AuCl and Au_2 199 (1992) 491
Habibur Rahman, M., see J.S. Hwang 199 (1992) 286
Hamakado, M., see T. Ebata 199 (1992) 33
Handy, N.C., see D.J. Tozer 199 (1992) 229
Handy, N.C., see C.W. Murray 199 (1992) 551
Hansen, F.Y., see N.E. Henriksen 199 (1992) 176
Hargittai, I., see N. Vogt 199 (1992) 441
Hargittai, M., see N. Vogt 199 (1992) 441
Harris, P., R.E. Douthwaite, A.H.H. Stephens and J.F.C. Turner, The structure and growth of C_{60} platelets 199 (1992) 631
Helbing, R.K.B., see R. Feltgen 199 (1992) 431
Henari, F., J. Callaghan, H. Stiel, W. Blau and D.J. Cardin, Intensity-dependent absorption and resonant optical nonlinearity of C_{60} and C_{70} solutions 199 (1992) 144
Henriksen, N.E., G.D. Billing and F.Y. Hansen, The accuracy of the time-dependent self-consistent-field approximation for inelastic collisions 199 (1992) 176
Herman, M., see F. Mélen 199 (1992) 124
Heskett, D., D. Tang, X. Shi and K.-D. Tsuei, Coadsorbate-induced undepolarization of alkali overlayers 199 (1992) 138
Heully, J.-L. and J.-P. Malrieu, Four self-consistent dressings to achieve size-consistency of singles and doubles configuration interaction 199 (1992) 545
Hirsch, A., see T. Weiske 199 (1992) 640
Holzwarth, A.R., see M.G. Müller 199 (1992) 465
Horn, M., P. Botschwina and R. Oswald, A theoretical investigation of the two lowest electronic states of HC_2NC^+ 199 (1992) 475
Hsu, C.-W., C.-L. Liao, Z.-X. Ma, P.J.H. Tjossem and C.Y. Ng, A study of the $S(^3P_{2,1,0}; {}^1D_2)$ production in the 193 nm photodissociation of HS and H_2S 199 (1992) 78
Hu, X.M., see R. Dippel 199 (1992) 625
Huber, P., see H. Yersin 199 (1992) 1
Hubin-Franskin, M.-J., see R. Thissen 199 (1992) 102

Hwang, J.S. and M. Habibur Rahman, Determination of the anisotropy of rotational reorientation from ESR line width data 199 (1992) 286

Ionov, S.P. and V.S. Lubimov, The anomalous variation of the successive molecular ionization energies and the electron–vibrational interaction 199 (1992) 365
Ito, M., see T. Ebata 199 (1992) 33
Ito, Y., see I. Tokue 199 (1992) 435

Jacquier, Ph., see M.A. Bouchiat 199 (1992) 85
Jakubas, R., see K. Orzechowski 199 (1992) 325
Janicki, P., see C. Szmytkowski 199 (1992) 191
Jayannavar, A.M., Transient behaviour of activationless electronic relaxation in solution 199 (1992) 149
Jayatilaka, D. and T.J. Lee, The form of spin orbitals for open-shell restricted Hartree–Fock reference functions 199 (1992) 211
Jeziorski, B., see S. Rybak 199 (1992) 567
Johnson, B.G., see J.A. Pople 199 (1992) 557

Kaldor, U., see S. Berkovic 199 (1992) 42
Kamat, P.V., see A. Samanta 199 (1992) 635
Karwasz, G., see A. Zecca 199 (1992) 423
Kassab, E., see E.M. Evleth 199 (1992) 513
Kawauchi, S., see A. Tachibana 199 (1992) 281
Khitrov, G.A., see M.M. Maricq 199 (1992) 71
Kido, A., O. Kitao and K. Nakanishi, Can the "van der Waals loop" vanish? 199 (1992) 403
Kilcoyne, A.L.D., see M. Schmidbauer 199 (1992) 119
Kiri, M., see H. Miyasaka 199 (1992) 21
Kitao, O., see A. Kido 199 (1992) 403
Kitao, O., see K.B. Domański 199 (1992) 525
Klopper, W., see J. Noga 199 (1992) 497
Kobayashi, F., see A. Osuka 199 (1992) 302
Kolonits, M., see N. Vogt 199 (1992) 441
Kondow, T., see T. Nagata 199 (1992) 205
Kondow, T., see F. Mafuné 199 (1992) 615
Köppe, H.-M., see M. Schmidbauer 199 (1992) 119
Kosterev, A.A., A.L. Malinovsky and E.A. Ryabov, Vibrational relaxation of C–H stretching modes in methane and its halogenated derivatives 199 (1992) 349
Krogh-Jespersen, K., see Y. Ding 199 (1992) 261
Krzysztofowicz, A.M., see C. Szmytkowski 199 (1992) 191
Kudo, T., see I. Tokue 199 (1992) 435
Kundu, T., see S.N. Thakur 199 (1992) 335
Kutzelnigg, W., see J. Noga 199 (1992) 497
Kutzelnigg, W., see R. Franke 199 (1992) 561

Ladik, J., see C.-M. Liegener 199 (1992) 62
Laming, G.J., see C.W. Murray 199 (1992) 551
Lara, F., see G.G. Lazarev 199 (1992) 29
Larciprete, R., see E. Borsella 199 (1992) 605

Latajka, Z., see Y. Bouteiller 199 (1992) 55
Lawrence, W.D., see R.A.J. Borg 199 (1992) 320
Lazarev, G.G., F. Lara, F. Garcia and A. Rieker, Radical pairs during photolysis of an iminoquinone in single crystals of 2,6-di-tert-butyl-4-methylphenol 199 (1992) 29
Lee, T.J., see D. Jayatilaka 199 (1992) 211
Liao, C.-L., see C.-W. Hsu 199 (1992) 78
Liegener, C.-M., A.K. Bakhshi and J. Ladik, Effects of topology on the electronic properties of fused-ring polymers 199 (1992) 62
Lintz, M., see M.A. Bouchiat 199 (1992) 85
Llor, A., Equivalence between dynamical averaging methods of the Schrödinger equation: average Hamiltonian, secular averaging, and Van Vleck transformation 199 (1992) 383
Lubimov, V.S., see S.P. Ionov 199 (1992) 365
Luckhaus, D. and M. Quack, High-resolution FTIR spectra of NO_2 and N_2O_4 in supersonic jet expansions and their rovibrational analysis 199 (1992) 293
Luo, J.-C., see D.J. Graham 199 (1992) 426

Ma, Z.-X., see C.-W. Hsu 199 (1992) 78
Mafuné, F., Y. Takeda, T. Nagata and T. Kondow, Formation and ejection of cluster ions from a liquid beam of aniline–ethanol solution by laser photoionization 199 (1992) 615
Magnasco, V., G. Figari and A. Siciliano, Two-centre linear pseudostate calculation including exchange of chemical and van der Waals interactions for the hydrogen molecule ion 199 (1992) 161
Majumdar, A.K., see L.S. Grigoryan 199 (1992) 360
Malinovsky, A.L., see A.A. Kosterev 199 (1992) 349
Malrieu, J.-P., see J.-L. Heully 199 (1992) 545
Maricq, M.M., J.J. Szente, G.A. Khitrov and J.S. Francisco, FCO: UV spectrum, self-reaction kinetics and chain reaction with F_2 199 (1992) 71
Maroulis, G., Electric multipole moments and quadrupole polarizability of chlorine 199 (1992) 244
Maroulis, G., Electric moments, polarizabilities and hyperpolarizabilities for carbon disulfide (S=C=S) from accurate SCF calculations 199 (1992) 250
Martin, T.P., U. Näher and H. Schaber, Evidence for octahedral shell structure in aluminum clusters 199 (1992) 470
Maruyama, K., see A. Osuka 199 (1992) 302
Mataga, N., see H. Miyasaka 199 (1992) 21
Mataga, N., see A. Osuka 199 (1992) 302
McGarvey, D.J., P.G. Szekeres and F. Wilkinson, The efficiency of singlet oxygen generation by substituted naphthalenes in benzene. Evidence for the participation of charge-transfer interactions 199 (1992) 314
Mélen, F., M. Carleer and M. Herman, Fourier transform jet spectrum of the ν_9 band of N_2O_4 199 (1992) 124
Meyer zur Heyde, M., E. Tiemann and D. Wendlandt, OODR spectroscopy of Na_3 clusters and rotational assignment of the $\tilde{A}$–$\tilde{X}$ system 199 (1992) 590
Miyasaka, H., M. Kiri, K. Morita, N. Mataga and Y. Tanimoto, Picosecond laser photolysis studies on the intramolecular photoreduction process of benzophenone by diphenylamine linked by spacers in acetonitrile solution 199 (1992) 21
Morin, P., see R. Thissen 199 (1992) 102
Morioka, Y., see T. Ebata 199 (1992) 33

Morita, K., see H. Miyasaka 199 (1992) 21
Moriyama, S., see T. Ebata 199 (1992) 33
Mueller, K.T., see C.A. Fyfe 199 (1992) 198
Müller, M.G., K. Griebenow and A.R. Holzwarth, Primary processes in isolated bacterial reaction centers from *Rhodobacter sphaeroides* studied by picosecond fluorescence kinetics 199 (1992) 465
Müller-Plathe, F., S.C. Rogers and W.F. van Gunsteren, Computational evidence for anomalous diffusion of small molecules in amorphous polymers 199 (1992) 237
Murray, C.W., G.J. Laming, N.C. Handy and R.D. Amos, Kohn–Sham bond lengths and frequencies calculated with accurate quadrature and large basis sets 199 (1992) 551

Nagata, T., H. Yoshida and T. Kondow, Photoelectron spectroscopy of $(CO_2)_nH_2O^-$ $(2 \leqslant n \leqslant 8)$ clusters 199 (1992) 205
Nagata, T., see A. Osuka 199 (1992) 302
Nagata, T., see F. Mafuné 199 (1992) 615
Näher, U., see T.P. Martin 199 (1992) 470
Nakanishi, K., see A. Kido 199 (1992) 403
Nakanishi, K., see K.B. Domański 199 (1992) 525
Narlikar, A.V., see L.S. Grigoryan 199 (1992) 360
Nascimento, O.R., see E. Wajnberg 199 (1992) 111
Nebot-Gil, I., see I. García-Cuesta 199 (1992) 535
Nenner, I., see R. Thissen 199 (1992) 102
Nesterenko, A., see E. Borsella 199 (1992) 605
Nettesheim, S., see A. von Oertzen 199 (1992) 131
Ng, C.Y., see C.-W. Hsu 199 (1992) 78
Noga, J., W. Kutzelnigg and W. Klopper, CC-R12, a correlation cusp corrected coupled-cluster method with a pilot application to the Be_2 potential curve 199 (1992) 497
Nozaki, K., see A. Osuka 199 (1992) 302

Ohno, T., see A. Osuka 199 (1992) 302
Orrit, M., J. Bernard, A. Zumbusch and R.I. Personov, Stark effect on single molecules in a polymer matrix, Chem. Phys. Letters 196 (1992) 595. Erratum 199 (1992) 408
Ortiz, J.V., Coupled-cluster reference electron propagator calculations on the ionization energies of O_2 199 (1992) 530
Orzechowski, K., G. Bator and R. Jakubas, Preliminary studies of the influence of an electric field on permittivity close to the ferroelectric–paraelectric phase transition in $(CH_3NH_3)_5Bi_2Br_{11}$ crystal 199 (1992) 325
Osuka, A., T. Nagata, F. Kobayashi, R.P. Zhang, K. Maruyama, N. Mataga, T. Asahi, T. Ohno and K. Nozaki, Long-lived charge separated states from distance fixed triads consisting of zinc porphyrin, free-base porphyrin, and pyromellitimide 199 (1992) 302
Oswald, R., see M. Horn 199 (1992) 475
Ouamerli, O., see E.M. Evleth 199 (1992) 513

Pacchioni, G., see N. Rösch 199 (1992) 275
Pachter, M., see P. Haaland 199 (1992) 379
Pachter, R., see P. Haaland 199 (1992) 379
Partridge, H., see C.W. Bauschlicher Jr. 199 (1992) 225

Pečar, S., see S. Valić 199 (1992) 609
Perez, E., see C.L. Perkins 199 (1992) 445
Perkins, C.L., E. Perez and K.M. Beck, UV spectroscopy of perylene–CO van der Waals complexes 199 (1992) 445
Persico, M., see F. Floris 199 (1992) 518
Personov, R.I., see M. Orrit 199 (1992) 408
Piette, J.-L., see R. Thissen 199 (1992) 102
Pikorz, D., see R. Feltgen 199 (1992) 431
Pople, J.A., P.M.W. Gill and B.G. Johnson, Kohn–Sham density-functional theory within a finite basis set 199 (1992) 557
Prem Chand, see L.S. Grigoryan 199 (1992) 360
Presser, N., Spectroscopy of Mg in hydrogenic matrices 199 (1992) 10
Preuss, H., see E. Czuchaj 199 (1992) 47

Quack, M., see D. Luckhaus 199 (1992) 293

Rakvin, B., see S. Valić 199 (1992) 609
Ramachandran, G. and G.S. Ezra, Vibrational deactivation in planar ion–neutral collisions. A classical trajectory study of the fixed orientation angle approximation 199 (1992) 397
Ramos, M.N. and B. de B. Neto, Comparative study of atomic charges derived from infrared intensities and from electrostatic potentials using AM1 and MNDO wavefunctions 199 (1992) 482
Ratajczak, H., see Y. Bouteiller 199 (1992) 55
Rebentrost, F., see E. Czuchaj 199 (1992) 47
Reynolds, C.A., J.W. Essex and W.G. Richards, Errors in free-energy perturbation calculations due to neglecting the conformational variation of atomic charges 199 (1992) 257
Richards, W.G., see C.A. Reynolds 199 (1992) 257
Richert, R., Molecular probing of dielectric relaxation in the glass-transition region 199 (1992) 355
Rieker, A., see G.G. Lazarev 199 (1992) 29
Robertson, S.H. and D.M. Wardlaw, The unimolecular dissociation of the iso-propyl radical 199 (1992) 391
Rogers, S.C., see F. Müller-Plathe 199 (1992) 237
Rösch, N., L. Ackermann and G. Pacchioni, Electronic structure and properties of nickel clusters: Ni_6, Ni_8, Ni_{19} and Ni_{44} 199 (1992) 275
Rösch, N., see O.D. Häberlen 199 (1992) 491
Rosenthal, L., see C. Szmytkowski 199 (1992) 191
Rotermund, H.H., see A. von Oertzen 199 (1992) 131
Ryabov, E.A., see A.A. Kosterev 199 (1992) 349
Rybak, S., K. Szalewicz, B. Jeziorski and G. Corongiu, Symmetry-adapted perturbation theory calculations of uracil–water interaction energy 199 (1992) 567

Sadi, S., see Y. Bouteiller 199 (1992) 55
Salzner, U. and P. von R. Schleyer, A successful ab initio study of the adiabatic electron affinity of the methyl radical 199 (1992) 267
Samanta, A. and P.V. Kamat, Quenching of fullerene triplets by stable nitroxide radicals 199 (1992) 635
Samanta, S.B., see L.S. Grigoryan 199 (1992) 360
Sánchez de Merás, A., see I. García-Cuesta 199 (1992) 535
Sathaiah, S., see L.S. Grigoryan 199 (1992) 360
Schaber, H., see T.P. Martin 199 (1992) 470

Schettino, V., see C. Taiti 199 (1992) 417
Schindler, K.-M., see R. Dippel 199 (1992) 625
Schmidbauer, M., A.L.D. Kilcoyne, H.-M. Köppe, J. Feldhaus and A.M. Bradshaw, Strong multi-electron excitations in the C 1s photoionization of CO and CO_2 199 (1992) 119
Schriver, L., see A. De Saxce 199 (1992) 596
Schwarz, H., see T. Weiske 199 (1992) 640
Schwarz, H., see H. Egsgaard 199 (1992) 643
Scuseria, G.E., see J.R. Colt 199 (1992) 505
Serrano-Andrés, L., see I. García-Cuesta 199 (1992) 535
Sharma, S.V., see L.S. Grigoryan 199 (1992) 360
Shi, X., see D. Heskett 199 (1992) 138
Siciliano, A., see V. Magnasco 199 (1992) 161
Siepmann, J.I. and M. Sprik, Folding of model heteropolymers by configurational-bias Monte Carlo 199 (1992) 220
Slanger, T.G., see G.W. Faris 199 (1992) 309
Schleyer, P. von R., see U. Salzner 199 (1992) 267
Sprik, M., see J.I. Siepmann 199 (1992) 220
Stephens, A.H.H., see P. Harris 199 (1992) 631
Stiel, H., see F. Henari 199 (1992) 144
Stoll, H., see E. Czuchaj 199 (1992) 47
Sudhakar, N., see L.S. Grigoryan 199 (1992) 360
Sülzle, D., see H. Egsgaard 199 (1992) 643
Sutherland, D.G.J., G.M. Bancroft, J.D. Bozek and K.H. Tan, Vibrational effects in the Si 2p pre-edge photoabsorption spectroscopy of SiH_4, SiD_4, Si_2H_6 and Si_3H_8 199 (1992) 341
Szalewicz, K., see S. Rybak 199 (1992) 567
Szekeres, P.G., see D.J. McGarvey 199 (1992) 314
Szente, J.J., see M.M. Maricq 199 (1992) 71
Szmytkowski, C., A.M. Krzysztofowicz, P. Janicki and L. Rosenthal, Electron scattering from CF_4 and CCl_4. Total cross section measurements 199 (1992) 191

Tabak, M., see E. Wajnberg 199 (1992) 111
Tachibana, A., K. Yamaguchi, S. Kawauchi and T. Yamabe, Spontaneous pair-bond scission reaction between SiH_4 and F_2 199 (1992) 281
Taiti, C., P. Foggi, R. Torre and V. Schettino, The CARS excitation profile of the MnO_4^- ion doped in $KClO_4$ 199 (1992) 417
Takeda, Y., see F. Mafuné 199 (1992) 615
Tan, K.H., see D.G.J. Sutherland 199 (1992) 341
Tang, D., see D. Heskett 199 (1992) 138
Tani, A., see F. Floris 199 (1992) 518
Tanimoto, Y., see H. Miyasaka 199 (1992) 21
Thakur, S.N., D. Guo, T. Kundu and L. Goodman, Two-photon photoacoustic spectroscopy of acetone 3p Rydberg states 199 (1992) 335
Thiel, E. and K.H. Drexhage, New method to investigate weakly populated transient states 199 (1992) 329
Thissen, R., M.-J. Hubin-Franskin, M. Furlan, J.-L. Piette, P. Morin and I. Nenner, Selectivity in the fragmentation of 1-bromo-2-iodoethane following iodine 4d core electron excitation 199 (1992) 102
Tiemann, E., see M. Meyer zur Heyde 199 (1992) 590
Tjossem, P.J.H., see C.-W. Hsu 199 (1992) 78

Tokue, I., T. Kudo and Y. Ito, Emission cross section and vibrational branching ratios of the N_2O^+ ($\tilde{A}\,^2\Sigma^+$–$\tilde{X}\,^2\Pi$) band produced by $He^*(2\,^3S)$ impact on N_2O 199 (1992) 435
Tomasi, J., see F. Floris 199 (1992) 518
Torre, R., see C. Taiti 199 (1992) 417
Tozer, D.J., J.S. Andrews, R.D. Amos and N.C. Handy, Gradient theory applied to restricted (open-shell) Møller–Plesset theory 199 (1992) 229
Tripathi, G.N.R., Resonance Raman spectra and reaction kinetics of anisole and para-methylanisole cation radicals in aqueous solution 199 (1992) 409
Trümbach, D., see H. Yersin 199 (1992) 1
Tsuei, K.-D., see D. Heskett 199 (1992) 138
Turner, J.F.C., see P. Harris 199 (1992) 631

Valić, S., B. Rakvin, Z. Veksli and S. Pečar, Slow molecular motion of different spin probes in a model glycerol–water matrix studied by double modulation ESR 199 (1992) 609
Van Gunsteren, W.F., see F. Müller-Plathe 199 (1992) 237
Vehmeyer, H., see R. Feltgen 199 (1992) 431
Vekshin, N., M. Vincent and J. Gallay, Excited-state lifetime distributions of tryptophan fluorescence in polar solutions. Evidence for solvent exciplex formation 199 (1992) 459
Veksli, Z., see S. Valić 199 (1992) 609
Vincent, M., see N. Vekshin 199 (1992) 459
Vogt, N., M. Hargittai, M. Kolonits and I. Hargittai, Molecular structure of cadmium diiodide from combined electron diffraction and vibrational spectroscopic analysis 199 (1992) 441
Von Oertzen, A., H.H. Rotermund and S. Nettesheim, Investigation of diffusion of CO adsorbed on Pd(111) by a combined PEEM/LITD technique 199 (1992) 131

Waclawik, E.R., see R.A.J. Borg 199 (1992) 320
Wajnberg, E., A. Alonso, O.R. Nascimento and M. Tabak, Spin–lattice relaxation of a nitroxide radical in a single crystal 199 (1992) 111
Wan, Z., see J.F. Christian 199 (1992) 373
Wardlaw, D.M., see S.H. Robertson 199 (1992) 391
Weiske, T., H. Schwarz, A. Hirsch and T. Grösser, High-energy collisions of organofullerene cations with helium. Ligand evaporation caused by encapsulation of the noble gas atom 199 (1992) 640
Weiske, T., see H. Egsgaard 199 (1992) 643
Weiss, K.-U., see R. Dippel 199 (1992) 625
Wendlandt, D., see M. Meyer zur Heyde 199 (1992) 590
Wilkinson, F., see D.J. McGarvey 199 (1992) 314
Wong-Moon, K.C., see C.A. Fyfe 199 (1992) 198
Woodruff, D.P., see R. Dippel 199 (1992) 625

Yamabe, T., see A. Tachibana 199 (1992) 281
Yamaguchi, K., see A. Tachibana 199 (1992) 281
Yersin, H., P. Huber, G. Gietl and D. Trümbach, Pressure-induced tuning of fluororescence to phosphorescence in $[Cr(urea\text{-}h_4)_6](ClO_4)_3$ and $[Cr(urea\text{-}d_4)_6](ClO_4)_3$ 199 (1992) 1
Yoshida, H., see T. Nagata 199 (1992) 205

Zecca, A., G. Karwasz and R.S. Brusa, SF_6 absolute total electron scattering cross section in the 75–4000 eV energy range 199 (1992) 423
Zhang, D.H. and J.Z.H. Zhang, Vibrational predissociation in HD–HF 199 (1992) 187
Zhang, J.Z.H., see D.H. Zhang 199 (1992) 187
Zhang, R.P., see A. Osuka 199 (1992) 302
Zhao, Y. and J.S. Francisco, An examination of the reaction pathways for the recombination of FCO radicals 199 (1992) 65
Zumbusch, A., see M. Orrit 199 (1992) 408